


# FSQ-106EDX4 Photo/Visual System Chart


- |                                      |             |
|--------------------------------------|-------------|
| 6A. CAA (CCA-250)                    | [TKP86200]  |
| 8A. Coupling (TW) (CCA-250)          | [TKP86003]  |
| 8L. Coupling (TW) (FSQ-130ED)        | [TKP38003]  |
| 12A. Visual adapter (CCA-250)        | [TKP86005]  |
| 13. 50.8 Sleeve                      | [TKP00113]  |
| 14. Coupling (S)                     | [TKP00103]  |
| 18C. Reducer CR 0.73x                | [TKA82580]  |
| 18M. F3 Reducer 0.6x                 | [TKA38581]  |
| 18L. 645 Reducer QE0.72x             | [TKA36580L] |
| 27. 4-Turret eyepiece holder (31.7D) | [TKA00404]  |
|                                      | [TKA35201]  |
| 30R. CA-35 (SKY90)                   |             |
| 32. T-mount                          |             |
| 33. Wide T-mount                     |             |
- 
- |                               |             |
|-------------------------------|-------------|
| 34. 35mm SLR/DSLR camera      |             |
| 36. TCA-4                     | [TKA00210]  |
| 46. Ocular adapter (31.7mm)   | [TKP00101]  |
| 47. Ocular (31.7mm)           |             |
| 48. Ocular (50.8mm)           |             |
| 49. Diagonal prism (31.7mm)   | [TKA00547]  |
| 60. Extender QE 1.6x(50.8)    | [TKA36595]  |
| 70S. Eyepiece holder (50.8)   | [TKP27110S] |
| 71L. 50.8 Extension tube (L)  | [TKP31112]  |
| 71S. 50.8 Extension tube (S)  | [TKA00105]  |
| 74. Diagonal mirror (50.8)    | [TKA00543]  |
| 75. Adapter (DM) (31.7)       | [TKA00111]  |
| 81S. Aux ring (S) (FSQ-130ED) | [TKA38205]  |
| 82. 645 RD adapter            | [TKA36581]  |



TAKAHASHI

Standard accessories included in OTA: No. 82, 6A, 81S, 8A, 12A, 14, 46 & 8L





F3 Reducer 0.6x Backfocus

TAKAHASHI